

Enterprise Architect

User Guide Series

Integrate Data from External Providers

Sparx Systems' Pro Cloud Server provides the facility to browse an external provider such as Jira, SharePoint or TFS based on a provider query, and view and retrieve lists of objects to integrate into an Enterprise Architect Cloud model client.

Author: Sparx Systems

Date: 7/08/2019

Version: 1.0



Table of Contents

| Integrate Data from External Providers | 3 |
|----------------------------------------|----|
| Navigate External Data | 6 |
| External Item Details | 8 |
| Linking Items | 10 |
| Configuration | 13 |

Integrate Data from External Providers

The Pro Cloud Server helps you to integrate data from external providers into an Enterprise Architect Cloud model. A variety of third-party providers can be connected to, including:

- Application Lifecycle Management (formerly HP Quality Center)
 - Jazz (interacts with:
 - IBM Rational DOORS Next Generation's requirements management tool
 - Rational Rhapsody Design Management (DM)
 - Rational Team Concert Change and Configuration Management (CCM)
 - Rational Quality Manager (OM) _
- Jira and < Confluence eam Foundation Server Wrike ServiceNow utodesk Bugzilla Salesforce SharePoint Dropbox and
 - Other Enterprise Architect models

See the Install and Configure Help topic for information on how to configure each provider.

All integrations offer support for linking objects and elements from the external system into an Enterprise Architect client. The Integration window supports browsing the external provider's items and retrieving lists of elements and objects based on the provider's queries. Capabilities include:

- Link an Enterprise Architect element to an external object
- View external element properties
- View and in some cases add to, external object discussions
- Export links to WebEA URL's that correspond to the current model
- Open external items in a web browser
- Import elements
- Export elements

From Enterprise Architect Release 14.1 it is possible to link a non-Cloud model to Integration Plugins configured on a Pro Cloud Server.

See the *Cloud Page* Help topic for configuration options.

Access

| Ribbon | Specialize > Tools > System Integration > Open External Data To view a list of all elements that are linked to external items: Specialize > Tools > System Integration > Show All Linked Items |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Context Menu | In a diagram or the Browser window, for elements that are already linked to an external item: Right-click on element > Specialize > External Properties |

Features

| Feature | Description |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pro Cloud Server Configuration | Each external provider needs to be configured on the Pro Cloud Server to enable connection. Multiple configurations can be made for each provider (such as connecting to two separate Jira servers). |
| Authorization | If the Integration Provider requires authorization the user will be prompted to enter their credentials. If the provider supports it, a new internet browser window will open and prompt the user to log in to the Integration Provider and allow Enterprise Architect access to its resources. Alternatively, a simple dialog will pop up asking for the user's credentials, with the option to securely store these in the current model. If stored in the model the credentials will only be used for the current user. |
| Navigate External Provider | Find external items to link by navigating the external provider. |
| External Item Details | Select an external item from the list to see its properties, notes and discussions. |
| Link External Items | External items can be linked to Enterprise Architect as a generic «ExternalReference» stereotype or as another element type. |
| Add WebEA Link | Hyperlinks to WebEA can be added to the external item so that a user can quickly open the WebEA element from the external source. |
| | Right-click on a local linked element in the list and select 'Add WebEA Hyperlink to External Object'. This will update the external item with a link to the WebEA element that is linked to it. Note that not all provider types have a 'link' mechanism. Where none exists, some providers might allow adding the link as a comment on the item. |
| | Ensure that the model has a valid WebEA address set in the model options. |
| Configuration | Each integration provider comes with a set of default mapping values which determines what type of local element is created in Enterprise Architect, as well as which fields are copied to the new element. These mappings are configurable via the 'Configure' option on the Integration window toolbar menu. |
| | Users must have the 'Configure External Data Sources' permission to access this |

| | functionality. | |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Troubleshooting | The System Output window will show any errors while attempting to retrieve data from the external providers The Pro Cloud Server outputs log files for each external provider | |

Notes

- 'Integration' requires a Pro Cloud Server and is only available to Cloud models
- 'Integration' is currently provided with the Corporate, Unified and Ultimate editions of Enterprise Architect
- If you select two or more elements at the same time, you can perform an operation on all of the selected elements at once
- For WebEA links to work a valid URL must be set for the WebEA address (see the *Cloud Page* Help topic)

Navigate External Data

Each integration provider can be navigated through to show lists of external items that can be linked to Enterprise Architect. Each provider might provide a slightly different mechanism for navigation based on how it stores its data. Some provide a simple folder hierarchy, while others provide for user defined filters. See 'What data is returned by Integration Plugins' on Install and Configure for details of each provider.

Navigate the Hierarchy

Begin navigation by selecting the provider type from the first drop-down menu.



Next, each provider type offers a slightly different navigation system; for example, Dropbox allows for browsing the folder structure, whilst Jira give a list of projects followed by a list of user queries.



Item List

At each navigation level, if available, a list of items corresponding to the navigation level will populate the left-hand panel.

| Object | - | - |
|----------------------------------------------------------------------------------------------------|-------|---|
| 💠 As an Administer I want to be able to configure the Social Media Channels for integration so | the | 1 |
| 💠 As an Administrator I want to be able to set filters that limit inappropriate content being inte | grate | 1 |
| I want to be able to view curated Social Media Information about a destination | so I | |
| 💠 As a traveler I want to be able to select which social media channels I want to view for a give | en de | 1 |
| 💠 As a Travel Agent I want to be able to view Social Media Information about a destination so I | [can | 1 |

Any local Enterprise Architect elements that are linked to the external item will be shown as a child of the external item.

▲ ◆ As a developer, I'd like to update story status during the sprint >> ...
As a developer, I'd like to update story status during the sprint ...

All Items Linked to Model

At each navigation level there is an option to show all local Enterprise Architect elements that are linked to the selected external data source. Select 'All Items Linked to Model' and choose a recent time period (7, 30 or 90 days, or 'All') to show.

Choose 'All Items Linked to Model' on the root navigation level to see the linked items for all external providers.

This view is different to the regular list as it shows the local Enterprise architect element on top, and the external linked item as a child of the local element. All the same context menu items are available in the view.

- As a team, we can finish the sprint by clicking the cog icon next to the As a team, we can finish the sprint by clicking the cog icon next to the
- As a user, I'd like a historical story to show in reports
 - 💠 As a user, I'd like a historical story to show in reports

Show Items Linked to Current Context

In the integrations menu, select 'Items Linked to Current Context' to show only the external items that are linked to the currently selected local element. That is, select an item in the Browser window and see the external items that are linked to it.

This view is the same as for 'All Items Linked to Model'.

External Item Details

When an external item is selected in the list, the item's details are retrieved and displayed.

| Mapped Properties | | | |
|----------------------------------------------------------------|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Туре | Story | | |
| Created | 2018-04-27T00:21:30.376+0000 | | |
| Creator - Name | smaguire | | |
| Description | As a Traveller I want to be able to view curated Soc | | Send |
| Priority - Name | Medium | | |
| Resolution | | \land Johnny Tester | 2/05/2018 3:01:09 AM |
| Resolved | | Thanks Stephen, | |
| Status - Name | To Do | | |
| Summary | As a Traveler I want to be able to view curated Soci | | e first, we used that feature on our last |
| Updated | 2018-05-07T02:08:53.365+0000 | project and it stopped a lot of confu | sion Thanks again! |
| Other Properties | | | |
| | | | 2/05/2018 2:55:18 AM of it in the Enterprise Architect Project integration across all the channels and ntent. Hope that helps! 2/05/2018 2:50:59 AM |
| | | | |
| As a Traveller I want to be a a destination so I can get th | able to view <u>curated</u> Social Media Information about le best out of my holiday | Have we defined exactly what is mea think it means integrated and vetted. appreciated! | nt by ' <u>curated</u> '? I know John seems to Any extra information much |

Properties

Select an external item from the list to view its External Properties. This window shows all available properties of the external item, as defined by the external provider.

| Property | | Value |
|------------------|-------------------|------------------------------------------------------------------------|
| a | Mapped Properties | |
| | Туре | Story |
| | Created | 2017-05-30T00:55:49.000+0000 |
| | Creator - Name | administrator |
| | Description | *Starting a Sprint*During the Planning Meeting the team will exami |
| | Priority - Name | Major |
| | Resolution | |
| | Resolved | |
| | Status - Name | To Do |
| | Summary | As a team, I'd like to commit to a set of stories to be completed in a |
| | Updated | 2018-03-27T06:11:30.000+0000 |
| \triangleright | Other Properties | |
| | | |

Properties that will be used when creating a linked local element are show in the top group 'Mapped Properties' while all other properties are grouped in 'Other Properties'. The property mapping can be configured in <u>Configuration</u>.

Notes

The external item's notes or description is shown below the properties. Note that not all external providers have a notes or description field.

Discussion

Select an external item from the list to view its External Discussions. This window shows the discussions or comments of the external item.

New discussions can be posted by typing into the top box and pressing 'Send'. The username used will be that is authorized on the Integration Provider. If generic credentials have been added to the server configuration then the local model's user name will be added to the start of the comment as well.

Show or hide the discussions by clicking the icon in the top-right corner.

| | Send |
|----------------------------------------------------------------------------|--------------------------------------------------------------------|
| 👌 Johnny Tester | 2/05/2018 3:01:09 AM |
| Thanks Stephen, | |
| I should have thought to check the project and it stopped a lot of conf | re first, we used that feature on our last fusion Thanks again! |
| 🗟 Stephen Maguire | 2/05/2018 2:55:18 AM |
| | of it in the Enterprise Architect Project |

Note:

- To post an external discussion the Integration Provider must be configured to allow this on the Pro Cloud Server (allowed by default)
- Not all external providers have discussions or comments

Linking Items

Create Linked Element in Enterprise Architect

To create a new element in the Enterprise Architect model linked to the external item:

- Right-click on an external item in the list.
- Select Create Local Element
- Select either the default type (see Configuration) or «External Reference»
- Select which Package the element will be created in
- Optionally add the new element to an open Diagram

| Create Local Element × | | |
|------------------------|-----------------------------------------|--|
| Name: | As a developer, I'd like to update stor | |
| Type: | «External Reference» 🔹 | |
| Add To: | External Jira | |
| | Display as Info View: | |
| | Add Element to Diagram: | |
| | External Jira 🔹 | |
| | <u>C</u> reate <u>C</u> ancel | |

The local element will be filled in with the values defined in the Field Mapping in Configuration.

Once linked, the local element will show under the external item:

```
▲ ◆ As a developer, I'd like to update story status during the sprint >> ...
As a developer, I'd like to update story status during the sprint ...
```

Note: Select multiple items to create multiple elements at the same time. All elements will be created with either the default type or «ExternalReference»

Link an Existing Enterprise Architect Element

An existing element in Enterprise Architect can be linked to an existing item in the external provider by dragging the local element from the Browser window and dropping it onto the external item.

Create a Linked Item in the External Provider

Existing local elements in Enterprise Architect can be added to the External Provider in this way:

1. Select the local Enterprise Architect element (in the Browser window).

- 2. Browse the external provider and select the required destination location.
- 3. In the External Data Menu, select 'Create Linked Item'.

Note:

- To create a new external item, the Integration Provider must be configured to allow this on the Pro Cloud Server (it is disallowed by default)
- Not all providers allow for creation of new items

Update Local Element ('Pull' changes)

If either the local element or external item have been modified since the items were created or linked, an indicator will be shown on top of the item's icon. Right-click on the linked Enterprise Architect element and select the 'Pull - Update Local Element with External Data' option.



Note: If the local element has been modified since the link was created then its changes will be overwritten with the external data.

Update External Item ('Push' changes)

If either the local element or external item have been modified since the items were created or linked, an indicator will be shown on top of the item's icon. Right-click on the Enterprise Architect element and select 'Push - Update External Item with Local Data'.

| ⊿ | 🔷 As a user, I'd lik | e a historical story to show in reports |
|---|----------------------|------------------------------------------------|
| | 🚽 🗹 As a use | Add WebEA Hyperlink to External Object |
| ⊿ | 💠 As a user, l' | |
| | 🗹 As a use | Pull - Update Local Element with External Data |
| ⊿ | 🔷 As a user, l' | Push - Update External Item with Local Data |
| | 🗹 As a use | Disconnect from External Object |
| ⊿ | 💠 As a user, l' | |
| | 🗹 As a use | Add to Open diagram |
| ⊿ | 🔷 As a user, l' | Find in Project Browser |
| | 🗹 As a use | Find in Diagrams |

Note:

- If the external element has been modified since the link was created then its changes will be overwritten with the local data.
- To update an external item the Integration Provider must be configured to allow this on the Pro Cloud Server (disallowed by default).

Synchronize All Local Elements

All local linked elements from a provider can be quickly updated with new data from the external provider's items.

- 1. Browse to the external provider to be synchronized
- 2. In the External Data menu, select 'Synchronize Local Linked Elements'
- 3. Tick the fields that should be updated with any new data from the external item. Note that any local changes in the Enterprise Architect element in these fields will be overwritten with the external data.
- 4. The bottom of the window indicates how many local elements will be updated (note that it is unknown at this point if there have been any changes to the external item)
- 5. Click 'Synchronize'

| Synchronize | External Data Items | × |
|-------------------------------|-------------------------------------------------------------|---|
| Provider: | Jira - Zicomi Atlassian | |
| Note: This w external data | vill update all local linked elements with any new a. | |
| Synchror | nize < <external reference="">> elements only</external> | |
| Synchror | nize all local element types | |
| Select which | n fields to update: | |
| Author | · | |
| ✓ Name | | |
| Notes | | |
| Status | | |
| Tagged | d Value - Created Date | |
| Tagged | d Value - Modified Date | |
| Tagged | d Value - Priority | |
| Tagged | d Value - Resolution | |
| Tagged | d Value - Resolution Date | - |
| Select Al | Select None | |
| | | |
| | 12 elements to synchronize | |
| | Synchronize | |

Configuration

Each integration provider comes with a set of default mapping values which determines what type of local element is created in Enterprise Architect, as well as which fields are copied to the new element. These mappings are configurable for each client model.

Permission

Users must have the 'Configure External Data Sources' permission to access this functionality.

Access

| Integration window toolbar | Menu > Configure |
|----------------------------|------------------|
| | |

Type Mapping

This defines the element type that will be created when 'Create Local Element' is selected.

To create a new mapping, select the External Type, and use the toolbox selector to select the local element type.

| Type Mapping | | | | × |
|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|---------|----------------------------------------|------------------------|
| | Provider: | Jira | Ŧ |] |
| | Configure from diagr | am | | |
| External Type: Technical task | × | Maps to | Toolset: Exter Type: Stereotype: | Task Technical Toolset |
| Configure Field Mapping | | | | New Save Delete |
| Jira Type | Туре | | Stereoty | pe |
| Technical task | Task | | Technica | al |
| UseCase Epic Sub-task Story New Feature Improvement Bug Default | UseCase Epic Task UserStory Feature Change Defect Task | | Sub-tas | k |
| Reset to Defaults | | | | Close Help |

Field Mapping

This defines the element type that will be created when 'Create Local Element' is selected.

To create a new mapping, select the External Type, and use the toolbox selector to select the local element type.

| Type Mapping | | | | × |
|----------------------------------------------|--------------------------------------|---------|----------------------------------------|------------------------|
| | Provider: | Jira | Ŧ | |
| | Configure from diag | ram | | |
| External Type: Technical task | • | Maps to | Toolset: Exter Type: Stereotype: | Task Technical Toolset |
| Configure Field Mapping | | | | New Save Delete |
| Jira Type | Туре | | Stereoty | pe |
| Technical task | Task | | Technica | al |
| UseCase Epic Sub-task Story | UseCase Epic Task UserStory | | Sub-tas | k |
| New Feature Improvement Bug Default | Feature Change Defect Task | | | |
| Reset to Defaults | | | | Close Help |

Notes

- Each mapping can be reset to default values by clicking 'Reset to Defaults'.
- If no type mapping is specified for a specific type, then the mapping for type 'Default' will be used.