

Enterprise Architect

User Guide Series

Portals

What are Portals? In Sparx Systems Enterprise Architect, each Portal is a high-level logical grouping of common tools, custom searches, window layouts and Perspectives that forms an entry point to a specific set of features you might need to apply.

> Author: Sparx Systems Date: 7/08/2019 Version: 1.0



Table of Contents

Portals	4
Recent Places Portal	12
Recent Activity Portal	14
Working Sets Portal	18
Model Views Portal	20
Model Views Context Menus	25
Model Views Operations	31
Diagram Slide Show	38
Workspaces Portal	44
Perspectives Portal	48
Windows Portal	50
Extend Portal	54
Execute Portal	56
Guidebook Portal	63
Learning Portal	65

Portals

The Portals provide a high level, logical grouping of Enterprise Architect's tools and facilities, to form an entry point into specific features that you might need to apply. They provide access to common tools, custom searches, window layouts and Perspectives. For example, if you want to run searches for particular information in the model, or access the windows that are appropriate to a particular set of actions, you can select a Portal to identify and provide access to those facilities. This makes it easier to set up a work environment within the system, and carry out your tasks in a smooth sequence.

Access

Ribbon	Explore > Portals > <select portal=""> Start > Desktop > Design > Portals : <portal> button <portal></portal></portal></select>
Keyboard Shortcuts	Shift+Alt+P
Other	Start Page : Open a Portal <select Portal></select

Navigator Toolbar : \equiv : Portals

The Portals window

The Portals window displays on either the left- or right-hand side of the Enterprise Architect work area. It contains the currently-selected Portal and, under the title bar, a Portal selection button for changing the selected Portal.

Once the Portals window is displayed, it remains visible until you specifically select to hide it, or to auto-hide it as a tab on the side of the display, using the Portals window context menu options (see the *Portals Window Context Menu* table later in this topic).

Portals

The system currently provides eleven Portals, each consisting of a collapsible hierarchy of option groups and options. If a Portal is too long to display the entire contents at once, a scroll button displays at the top and/or bottom of the Portal. Click on these buttons to scroll the Portal contents up or down (or use the scroll wheel on your mouse, or the keyboard arrow keys).



Portal	Description
Recent Places	Provides links to the diagrams, files, documents and system windows that you recently had in use, and the diagrams that you have open currently.
Recent Activity	 Provides links to run searches that locate recent activities of various types across the model. The searches are grouped to identify: Recently changed elements, documents, diagrams and discussions
	 Recent formal reviews Recent informal Discussions Recently active Tasks Results of recently-run tests
	 Recently reported and investigated Changes Recently reported and investigated Defects Recently reported and investigated Issues
Working Sets	Provides links to the system-provided working sets that you might use to lay out the Enterprise Architect work area, but even more so to any working sets that

	 you have created yourself. The system options include: Managing working sets and Windows open when Model was last closed (which includes the Diagram View)
Model Views	The Model Views Portal helps you to capture information on the objects in your model from different aspects that you define yourself, helping you to encapsulate your model under the areas you are interested in. You can define a number of types of view based on searches or objects that you have placed into a collection, or you can collate diagrams into a slide show. You can also import views from, or export views to, other models.
Workspaces	 Provides links to the system-provided workspaces that you might use to lay out the Enterprise Architect work area, and to any workspaces that you have created yourself. The categories provided are: Customised ('My Workspaces') Core Design

	 Software Simulation Construction BABOK
Perspectives	Provides a wide range of model Patterns from which you can generate model structures for particular areas of work. The Patterns are organized into groups within Perspectives, and presented for selection through the 'Model Patterns' tab of the Model Wizard, and through the 'New Diagram' dialog. The Portal also includes a category for Perspectives that you have created yourself, which provide the Patterns from MDG Technologies you have specified in the Perspective.
Windows	 Provides links to the Enterprise Architect windows that you might use. The windows are grouped under the areas of: Exploring the model Properties Diagrams Specialized Tools Trace Collaborate Test

	TaskMaintenanceTemplates
Extend	Lists the MDG Technologies currently active in your model - such as ArcGIS or NEIM - and for each one provides links to the facilities for working with those technologies within Enterprise Architect.
Execute	 Provides a wide range of options that help you to: Perform Execution Analysis on your model - building and running the Analyzer scripts Record, Profile, Debug and Simulate the execution of your modeled application Access various windows that display specific aspects of debugging and simulating an application Create and edit code for your application
Guidebook	Provides links to the library of Enterprise Architect User Guides in PDF format. The Portal initially displays with ten categories of document, each of which

	can be expanded to a list of the PDF documents in that category.
Learning	Provides links to either the web version of the <i>Enterprise Architect User Guide</i> , or the locally-installed Help if you have downloaded that. The Portal also provides links to a number of useful web pages on the Sparx Systems website, such as the Resources, Tutorials, Webinars and Video Demos pages.

Portals Window Context Menu

Right-click on the Portals Window title bar to display the context menu. You can select the options in this table:

Portal	Description
Dock Left	Docks the Portals window on the left hand side of the work area.
Dock Right	Docks the Portals window on the right hand side of the work area.
Auto Hide	Condenses the Portals window to a tab on the edge of the work area. Mouse-over

	the tab to re-open the Portals window, move the cursor off the window to return it to a tab.
Hide	Hides - and effectively closes - the Portals window. To re-open the window, select the appropriate option under the 'Explore > Portals' ribbon icon or the appropriate icon on the Start page.
Auto Collapse Groups	Automatically collapses the currently-selected group of options when you expand another group.
<list of<br="">portals></list>	If you right-click anywhere in the Portals window other than the window title, the list of Portals displays. Click on a Portal name to change to that portal in the window.

Recent Places Portal

The Revisit Portal provides links to the diagrams and system windows that you currently have open, and the documents, windows, diagrams and source files that you have recently opened and then closed again.

Access

Ribbon	Explore > Portals > Recent Places
Keyboard Shortcuts	Shift+Alt+P : \blacksquare Perspective \checkmark > Revisit
Other	Start Page Open a Portal Revisit Navigator Toolbar : \equiv : Perspective > Revisit

Facilities

Category	Options
Current	This category lists the diagrams that you

Diagrams	currently have open. When you click on a diagram name, the focus changes to the selected diagram.
Recent Diagrams	This category list the diagrams that you have opened and closed during the current work session. You can click on a diagram name to re-open that diagram and resume work on it.
Documents	This category lists the Linked Documents that you have opened recently. If you click on a document name, the document re-opens.
Recent Windows	This category lists the windows that you have opened and closed during the current work session. If you click on a window name, the window re-opens.
Recent Files	This category lists the source files that you have opened and closed during the current work session. You can click on a file name to re-open that file and resume work on it.

Recent Activity Portal

The Recent Activity Portal provides links to searches that extract information on the current status of objects and items in the model. The searches are grouped to identify:

- Recently changed elements, documents, diagrams and discussions
- Recent posts, discussions and formal reviews
- Results of recently-run tests
- Recently requested and implemented change items
- Recently reported and investigated Defects
- Recently reported and investigated Issues
- Recently started, finished or active tasks

Access

Ribbon	Explore > Portals > Recent Activity
Keyboard Shortcuts	Shift+Alt+P : ■ Perspective ▼ Recent Activity
Other	Start Page Open a Portal Recent Activity
	Navigator Toolbar : = : Portals :

	Perspective	 Recent Activity
--	-------------	-------------------------------------

Facilities

Recent Changes	 These options execute searches for recent changes to: Elements Discussions Linked Documents Diagrams
Reviews	 These options help you to: Take part in a review Manage the current reviews Run a report to find open reviews Run a report to find active reviews
Discussions	 These options help you to Take part in a discussion Manage the current discussions Run a report to find recently active discussions

	• Take part in a Chat
	• Review previously active chats
Tasks	 These options help you to search for tasks that have a specific status: Recently Finished Starting Today Overdue Ending Today Active 30 Day Summary
Tests	 These options help you to search for tests that have a specific status: Recent Results Recent Failures Recent Passes Recent Deferrals Recent Modified Elements Not Run Not Checked
Changes	These options help you to search for changes that have a specific status:NewVerified

	 Recently Reported Recently Resolved Unresolved Issues
Defects	 These options help you to search for defects that have a specific status: New Verified Recently Reported Recently Resolved Unresolved Issues
Issues	 These options help you to search for issues that have a specific status: New Verified Recently Reported Recently Resolved Unresolved Issues

Working Sets Portal

The Working Sets Portal provides links to the system-provided working sets that you might use to lay out the Enterprise Architect work area, but even more so to any working sets that you have created yourself. The system options include:

- Managing Working Sets and
- Windows open when Model was last closed (which includes the Diagram View, if it was in use)

The Managing Working Sets folder contains a link to the 'Manage Working Sets' dialog, through which you can create your own working sets that will be listed with the two system sets.

Access

Ribbon	Explore > Portals > Working Sets
Keyboard Shortcuts	Shift+Alt+P : Select Portal Working Sets
Other	Start Page Open a Portal Working Sets
	Navigator Toolbar : : Portals : Perspective Working Sets

Model Views Portal

The Model Views facilities capture information on the objects in your model from different aspects that you define yourself, helping you to encapsulate your model as tailored views of the material you are interested in.

Access

RibbonExplore > Portals > Model Views

Features

Feature	Detail
View Root Nodes	 There are two types of View root-node available: Model Views - stored in the model and visible to all users; you can have many of these Technology-defined Views - read only; each View is added by, stored with and populated by the corresponding active

	MDG Technology
	Additionally, there is a Recent Team Library folder that contains current correspondence from the Team Library concerning items that are held in any of the Views; this folder has a separate repository of postings for each Team Library server connection you access through the model. You can control how recent these postings must be, and how many are to be listed. When you open the Model Views Portal for the first time on a project, a Model Views root section is added for you. This can not be deleted or renamed; however, you can create further Model View root
	nodes that you can modify and delete.
Subordinate Folders	Under a Model View root node you can create Views folders, Search folders, Slideshow folders and Favorites folders. The Search, Slideshow and Favorites folders are functional and cannot contain subordinate folders, so whilst you can create several Search, Slideshow or Favorites folders immediately under the Model View node you can group and better organize multiples of these folders under appropriately-named View folders.

 A Search View is a folder of elements or structures that you assemble by assigning a Model Search to the folder when you double-click on or expand the folder, the search runs and refreshes the folder contents; you can also set a search to refresh at a defined interval, and to notify you if new results are found
 A Slideshow folder contains links to diagrams, which you can display as a slide show with the diagrams being displayed in the sequence in which they are listed in the folder One folder represents one slide show - you can run the slide show automatically or manually; in either case the diagrams are closed after they have been displayed
• A Favorites folder gives you easy access to commonly-used items in the Browser window; to create hyperlinks in a Favorites folder to the required items in the Browser window; drag items from the Browser window into the Favorites folder
You can also export all of the View folders containing Views from any root section as an XML file, and import a

	 Views XML file as an additional, editable Model View root node. These are single-level items; if you drag a Package into the Favorites folder, you cannot expand that Package there. To select specific items inside a Package, expand it in the Browser window and then drag the items into the Favorites folder.
Key to Model View Contents	 Items on the Model View can be identified by their accompanying icons: A Model Views root node A View Folder A Favorites Folder A Favorites Folder A Search Folder A Slideshow Folder MDG Technologies can define their own Model Views, in which case they will display their own technology-specific icon
Accessing Operations	To perform operations on the Model View contents, you can use the item context menus. Each level of the Model Views hierarchy has a slightly different context menu.

Model Views Context Menus

This section details the options available from the Model Views context menu.

Access

Right-click on object		Explore > Portals > Model Views : Right-click on object
-----------------------	--	--

Options

The Model Views Portal context menus display different options, depending on which level of the Model Views hierarchy you right-click on.

Menu Option	Action
Properties	 (Not for the initial Model Views or Technology-defined root nodes.) Display the appropriate 'Properties' dialog for the selected object. You can edit any of the properties, if required; changes to objects populated

	from the model are reflected in all other views (Properties window, diagrams, reports) of that object. The 'Properties' option for a Slideshow folder displays the 'Slideshow Properties' dialog, which enables you to automate the slide show and set the number of seconds for which each diagram is displayed. If you deselect the 'Enable'
	checkbox, you must press Spacebar to display each diagram.
New Views Folder	(Root node only) Display a prompt for the Views folder name and create the folder in the selected root node.
New Model View	(Root Nodes only) Add a new Model View root node; displays a prompt for the View name.
Import Views From XML	(Root node only) Prompt for the XML file location and create a new Model Views node to hold the imported Views.
Export to XML (Views	(Root node only) Prompt for a file path and name, and copy

Only)	all Views under the selected root node to an XML file at that location.
Remove Model View	(Not for the initial Model Views or Technology-defined root nodes)Display a prompt to delete the selected user-defined Model View and, if confirmed, delete the root node and all contents.
New Search Folder	(View folder only) Display the 'Create New View' dialog (similar to the 'View Properties' dialog) for you to define the search that populates the View.
New Favorites Folder	(View folder only) Display the 'Create a new favorites based folder' dialog, which prompts for the folder name.
New Slideshow	 (Model View, View folder only) Display the 'Create a new slideshow' dialog, in which you type the name of the slide show. You must use the 'Properties' dialog to define the properties of the slide show.

Open Search	(Search View only)
	Display the Model Search screen in the main work area, listing the full results of the search and giving access to all the facilities of the Model Search. Shortcut: Shift+Space
	1
Refresh	(Search View only)
	Refresh the search and open the View to show the elements or documents retrieved by the search.
	Shortcut: Space
Double Click	(Search View only)
Opens Search	Enable you to perform the 'Open Search' function by double-clicking on the View.
	If you deselect this option, double-click refreshes the search and opens the View to show the elements retrieved by the search.
Remove	(View folder only)
Folder	Display a prompt to delete the selected Views folder and, if confirmed, delete the folder and all contents.
Remove View	Display a prompt to delete the selected Search View and, if confirmed, delete the

	View and all contents.
Remove Favorites	Display a prompt to delete the selected Favorites folder and, if confirmed, delete the folder and all contents.
Remove Slideshow	Display a prompt to confirm deletion of the selected slide show and, if confirmed, delete the slide show and all its diagrams.
Run Slideshow	Run the slide show in the Diagram View.
Run Slideshow Full Screen	Run the slide show in full screen mode, so that the slide show fills the whole screen.
Stop Slideshow	Cancel execution of the slide show running in the Diagram View. Shortcut: Esc
In Project Browser	(An element, diagram or Package object only)Highlight the selected item in the Browser window.
Find in all Diagrams	(An element or child Package object only)

	 Locate the selected object in any diagrams in which it has been used in the model, and either: Display the single diagram with the object highlighted or List the several diagrams in which the object has been located
Remove Linked Item	 (An element, diagram or Package object only) Display a prompt to delete the selected object and, if confirmed, remove the object from the folder. This has no effect on the object in the Browser window or any diagrams. You would not delete an object in a View, as it is replaced the next time the View is refreshed.
Help	(Root nodes only) Display Help on Model Views.

Model Views Operations

From the Model Views window you can perform a number of operations to define the information you extract from the model and to further process that information, as described here.

Access

RibbonExplore > Portals > Model Views	
---------------------------------------	--

Operations

Operation	Detail
Define Search View	 When you: Create a Search View, the 'Create New View' dialog displays Display the Search View properties, the 'View Properties' dialog displays These dialogs are identical. In the 'Name' field, type a name for the View.

In the 'Search' field, either:
• Click on the drop-down arrow and
select an existing search from the lists,
or
• Click on the 🔤 button and select to:
- Create a SQL search on the
'Custom SQL Search' dialog or
- Edit an existing search or define a
new one using the 'Manage Searches'
dialog,
then close the dialog and select
that search name in the second 'Search'
field
A custom SQL search statement should
return the GUID and type of the object
found so that the system can search for
the selected item in the Browser window.
The SELECT statement is case-sensitive
and should be typed as shown:
SELECT ea_guid AS CLASSGUID,
Object_Type AS CLASSTYPE, Name
FROM t_object
If required, in the' Search Term' field type
a specific value to search for.
If you are working with the Corporate or
extended versions of Enterprise
Architect, and you want the search to run
automatically and refresh the results,
select the 'Refresh this search' checkbox.

	The 'Frequency' field has three sections, for hours, minutes and seconds; click on the appropriate section and use the up and down arrows at the end of the field to set the interval for refreshing the search results. You can also set the refresh to display a pop-up notification if the search results change. To do this, select the 'Notify me when new results found' checkbox. Click on the OK button; the Search View is created (or updated) in a collapsed state. When you expand the View, the search
	executes and populates the View.
Move Objects Into Favorites	Drag any required Package, diagram or element from the Browser window into the required Favorites folder.
Move Objects Between Views	 Views and Favorites folders are fixed in the Views folder in which you create them, and you cannot move them. However, you can: Copy (by dragging) objects from any View into any Favorites folder, and Move (by dragging) objects between any two Favorites folders

Use Objects From Model Views	To make use of an element, diagram or Package held in any View or Favorites folder, click on the item and drag it into a diagram. The item behaves in the same way as if you dragged it from the Browser window.
Create Documents containing Objects	A very useful feature of the Model Views facility is the ability to drag separate items from the Views into an existing Linked Document. To do this you create your Linked Document, generate your Model View, and open the document and Model View as docked windows. You then drag the items - individually or as a multiple selection - from the View into the document, selecting one of two options: • 'Insert as Hyperlink(s)' and • 'Render as RTF' If you select 'Insert as Hyperlink(s)', a hyperlink is embedded in the document for each dragged object, linking to the object in the Browser window. If you select 'Render as RTF', a prompt displays for you to select the RTF template (if any) from which to generate a small report on the dragged objects.

	You can select different templates for different objects. However, there must be compatibility between the selected object type (such as Diagram) and the RTF template used (such as Diagram report). You can have hyperlinked objects and RTF-rendered objects in the same document.
Export/Impor t Views	You export Views to create an XML file that you can:
	 Import into another model as a user-created Model View or
	 Call from an MDG Technology Selection (MTS) file to access the Technology-defined View provided by the active MDG Technology
	The export and import functions are available from the Model Views root-node context menus.
	When you use the export function, it acts on the complete set of View folders in the selected 'My Views' root node, Model Views root node, or user-generated root node; you cannot export individual Views, nor can you export <i>Favorites</i> folders.
	The function displays the 'Save As' dialog, on which you browse for the

	directory location for the exported XML file, and specify the file name. When you use the import function, it displays the 'Select Import Filename' dialog on which you browse for the directory and XML file you want to import; the import creates a new Model View folder with the same name as the copied root node.
Set Up a Technology- Defined View	 To set up the Technology-defined View for an MDG Technology, you: 1. Create a user-generated Model View in Enterprise Architect while using the technology. 2. Populate it with the required View folders and Views. 3. Export the Views from that Model View as an XML file to an appropriate location. 4. Create a call to the file from the technology's MTS file. Thereafter, any model for which the MDG Technology is active automatically displays those Views in a Technology-defined View.

Diagram Slide Show

The slide show facility in the Model Views Portal enables you to create and run screen-based presentations of sets of diagrams. When you run a slide show, it displays the diagrams in the folder in the sequence in which they are listed in the folder. After each diagram has been displayed, it is closed. You can use this facility to:

- Create a slide show as a folder within a Views folder under a Model Views node
- Run a slide show manually
- Run a slide show automatically with each diagram displaying for a period that you define
- Display a slide show within the Enterprise Architect work area
- Display a slide show in full screen mode
- Delete a slide show

Access

Ribbon	Explore > Portals > Model Views
100001	

Create a slide show

Ste	Action	
р		
1	Under a Model Views node, click on the Views folder to contain the slide show.	
2	Right-click on the Views folder and select the 'New Slideshow' option. The 'New Slideshow' dialog displays.	
3	In the 'Name' field, type the name of the slide show.	
4	Click on the OK button. The new slide show folder is added to the selected View folder.	
5	Dock the Browser window separately from the Model Views Portal.	
6	Drag the diagrams to be displayed as part of the slide show from the Browser window into the new slide show folder. To remove a diagram that is not required, right-click on it in the slide show folder and select the 'Remove Linked Item' option.	
	The diagram items in the slide show folder are links to the diagrams in the Browser window, not copies	

	of the diagrams or the diagrams themselves; any actions you take in the slide show have no impact on the original diagrams.
7	Close the folder.

Define how the slide show is to operate automated or manual

Action	
Right-click on the slide show folder and select the 'Properties' option. The 'Slideshow Properties' dialog displays.	
To automate the slide show, select the 'Enable' checkbox. To run the slide show manually, deselect the checkbox.	
If you are automating the slide show, in the 'Time' field type the number of seconds that each diagram is to remain on display.	

4 Click on the OK button.

Run a slide show of diagrams, in either Diagram View or full screen

Ste p	Action
P	
1	Right-click on the slide show folder and select either the:
	 'Run Slideshow' option, to run the slide show in the Diagram View
	• 'Run Slideshow Fullscreen' option to run the slide show using the full screen
	The first diagram in the slide show displays.
2	If you have set up the slide show to run automatically, you can leave it to display the diagrams as defined.
	You can also moderate the slide show using manual commands.
3	If you are controlling the slide show manually, click on the slide show name.
	This toolbar displays:

н ∢ ∎ ■ ≻ н

4 Control the slide show using the toolbar icons or the equivalent aids:

- Display the next slide \blacktriangleright , (Spacebar) or (\rightarrow)
- Display the previous slide \checkmark , (\leftarrow)
- Display the first slide \mathbb{M} , (\uparrow)
- Display the final slide \square , (\downarrow)
- Pause the slide show -
- Resume the slide show \blacktriangleright
- Stop the slide show or right-click on the slide show folder name and select the 'Stop Slideshow' option

Delete a slide show

Ste p	Action
1	Right-click on the slide show folder and select the 'Remove Slideshow' option. Enterprise Architect prompts you to confirm the deletion.

2	Click on the Yes button.	
	The folder and its list of links to diagrams in the	
	model is removed.	

Workspaces Portal

Provides links to the system-provided workspaces that you might use to lay out the Enterprise Architect work area, and to any workspaces that you have created yourself. The categories provided are:

- Customised ('My Workspaces')
- Core
- Design
- Software
- Simulation
- Construction
- BABOK

Ribbon	Explore > Portals > Workspaces
Keyboard Shortcuts	Shift+Alt+P : Select Portal Workspaces
Other	Start Page Open a Portal Workspaces Navigator Toolbar : : Portals : Portals :

Category	Options
My Workspaces	This section provides the Workspaces that you have customized for your particular use on the 'My Workspaces' tab of the 'Workspace Layouts' dialog.
Core	 The options in this category apply some of the basic workspaces to your work area. These include: Basic Diagramming Collaborate Core Modeling Default Explore Wide View
Design	 The options in this category apply some of the model design workspaces to your work area. These include: Database Modeling Gap Analysis

	 Requirements Schema Design Trace by Matrix Use Case Modeling
Software	 The options in this category apply some of the software development workspaces to your work area. These include: Code Editing Debug Profile Record Software Engineering
Simulation	 The options in this category apply some of the simulation workspaces to your work area. These include: BPSim DMN-Sim Simulation SysML-Sim
Construction	The options in this category apply some of the project construction workspaces to your work area. These include:ChangeMaintenance

	 Resource Management Support Task Management Testing Work Items
BABOK Guide	The BABOK Reader option applies the BABOK workspace to your work area.

Perspectives Portal

The Perspective Portal provides a number of work Perspectives grouped by general work area. Each Perspective filters the modeling windows and dialogs to present only the modeling Patterns you might use in the work defined by the Perspective. When you select a Perspective the Model Wizard displays, showing the 'Model Patterns' tab and providing the model templates that you might use to initially create a model supporting the type of work.

For example, if you select the 'Construction > Kanban' Perspective the Model Wizard presents three Kanban Patterns for one-stage, two-stage and three-stage workflows. As you open or refresh other windows, such as the 'New Diagram' dialog, the objects you can initially select are filtered to provide - in this example - only Patterns for developing Kanban diagrams.

The Perspectives you can select from the Portal, the Patterns they provide, and the facilities for managing Perspectives are described in the *Perspectives* section under 'Modeling | Building Models' in the Help.

Access

Ribbon

Explore > Portals | Perspectives

Keyboard	Shift+Alt+P : = Perspective
Shortcuts	Perspective
Other	Start Page Open a Portal Perspective Navigator Toolbar : : Portals : Perspective Perspective

Windows Portal

Provides links to the Enterprise Architect windows you use to navigate through, develop and manage your models.

Access

Ribbon	Explore > Portals > Windows
Keyboard Shortcuts	Shift+Alt+P : \blacksquare Perspective \blacksquare Window
Other	Start Page Open a Portal Window Navigator Toolbar : : Portals : Window

Туре	Facilities
Explore	Provides links to display the:Project } tabs of the Browser

	 Context } window Element } Navigator Resources window Model Search File Search System Output window
Properties	 Provides access to these facilities: Properties window main tab Notes dialog 'Tags' tab of the Properties window Summary screen Document window Features dialog Requirements window
Diagram	 Provides access to these facilities: Diagram Filters Pan and Zoom window Diagram Layout tools
Specialized Tools	 Provides access to these facilities: Specification Manager Scenario Builder Constraints, through the

	 Responsibilities window Decision Table Editor Database Builder Schema Composer
Trace	 Provides access to these facilities: The Traceability window Relationships window Relationship Matrix Gap Analysis Matrix
Collaborate	 Provides access to the team communication facilities of: Finding All Reviews Finding All Discussions Conducting Reviews Conduction Discussions Model Mail Calendar Chat Team Library
Test	Provides the facilities to create and review Tests of all types supported by Enterprise Architect.
Task	Provides access to these facilities:

	 Project Gantt Chart Personal Gantt Chart Resource List
Maintenance	 Provides access to the facilities for recording and managing: Changes Defects Issues Tasks Events Decisions Effort Risks Metrics
Templates	 Provides access to the facilities for maintaining: Code Engineering Templates DDL Templates Document Templates

Extend Portal

The Extend Portal lists the MDG Technologies currently active in your model, and for each one provides links to the facilities for working with those technologies within Enterprise Architect.

Access

Ribbon	Explore > Portals > Extend
Keyboard Shortcuts	Shift+Alt+P : \blacksquare Perspective \blacksquare Extend
Other	Start Page Open a Portal Extend
	Navigator Toolbar : E : Portals :

Facilities

The options provided in this Portal depend on what Add-Ins and MDG Technologies are loaded and active for the model, and what operations are supported between the technologies

and Enterprise Architect.

Execute Portal

The Execute Portal provides links to the facilities of the system that help you to:

- Perform Execution Analysis on your model building and running the Analyzer scripts
- Record, Profile, Debug and Simulate the execution of your modeled application
- Access various windows that display specific aspects of debugging an application
- Run a number of searches for information on recent Simulations

Ribbon	Explore > Portals > Execute
Keyboard Shortcuts	Shift+Alt+P : \blacksquare Perspective \checkmark > Execute
Other	Start Page Open a Portal Execute Navigator Toolbar : : Portals : Execute

Category	Options
Execution Analyzer	 These options provide the facilities to create and execute scripts for building, running and testing an application. Select: Edit Build Scripts - to display the Execution Analyzer window, from which you can select a Build Script to edit Open Source File - to display the 'Open Source File' browser from which you select a source file to view, and then display the file content in the Code Editor Merge - to run the Merge script associated with the selected Package Build - to build the selected Package Build - to run the deployment script associated with the selected Package Run - to run the executable script associated with the selected Package Test - to run the testing script

	associated with the selected Package
Simulator	The options in this section open a number of windows that you might use in a Simulation session. Select:Simulator to open the Simulation window
	 Triggers and Events to open the Simulation Events window
	 Breakpoints - to open the Breakpoints & Markers window
	 Local Variables - to open the Locals window
	Call Stack - to open the Call Stack window
	BPSim to open the Configure BPSim window
	SysMLSim to open the Configure SysML Simulation window
Simulation	The options in this section help you to quickly control a simulation process. Select:
	• Start Simulation - to start debugging
	• Step - to step over the next line of code after a break
	• Step In - to step into a function call in the code

	• Step Out - to step out of a function call
	• Pause - to pause simulation
	• Stop - to stop the simulation altogether
Debugger	 The options in this section open a number of windows that you might use in a debugging session. Select: Debugger - to open the Debug window Breakpoints - to open the Breakpoints & Markers window Call Stack - to open the Call Stack window Local Variables - to open the Locals window Memory - to open the Memory Viewer window Modules - to open the Modules window Watches - to open the Watches window Object Workbench - to display the 'Object Workbench' dialog Debugging Perspective - to display the set of debug windows, dialogs, toolbars and menus that you might use in a debugging session
Debug	The options in this section help you to quickly debug a running process or

	 application (through a debug script). Select: Debug Run - to start debugging Step - to step over the next line of code after a break Step In - to step into a function call in the code Step Out - to step out of a function call Pause - to pause debugging Stop - to stop the debugging session altogether
Record	 The options in this section help you to set up, start, record and analyze the execution of the application code developed from your model. Select: Recorder to open the Record & Analyze window 'Apply Record Layout' - to open the windows and dialogs that you would use in performing Execution Analysis on your model 'Start Recording' - to start a manual recording of the current thread during a debug session, managing it using the 'Step ' functions 'Stop Recording' - to stop the current recording session

	 'Auto Record Thread' - to begin recording and not stop until either the program ends, you stop the debugger or you click on the 'Stop' icon 'Toggle Display of Execution Point' - to toggle between highlighting the execution point and not doing so 'Create Sequence Diagram' - to generate a Sequence diagram from the recording trace
Profile	 The two options in this section are to quickly set up a Profiling session on your application. Select: Profiler - to open the Profiler window Apply Profile Layout - to display all windows and dialogs that you might use in profiling the execution of your application
Code	 The options provided in this section help you to create, edit and debug code. Scripting - displays the Scripting window at the 'Scripts' tab, for creating scripts within script groups Source Code Editor - displays the Source Code Editor, which helps you to view, edit and maintain your source code directly inside Enterprise

	 Architect Language Grammars - displays the Grammar Editor for writing and editing a grammar for code imported in a new programming language Search Files - displays the Find in Files window for searching the content of selected files, or using the Code Miner
Test	• Testpoints to open the Testpoints window
XSLT	• XSLT Editor/Debugger - displays both the XSLT Debugger screen and the System Output window at the XSLT Transformation tab, for converting an input document into XML or other document types using an XSLT Stylesheet; the transformation is modeled in an XML Transform diagram, from which you can debug and/or execute the stylesheet

Guidebook Portal

The Guidebook Portal provides access to a library of PDF documents held on the Sparx Systems website. These documents discuss specific areas of Enterprise Architect's functionality and use. The documents are grouped according to the area of work they support, namely:

- Basics
- Repository
- Modeling
- Domains
- Guides (for Business Analysis, Business Modeling and Enterprise Architecture)
- Project Management
- Publishing
- Simulation
- Execution
- Automation

To open a document, double-click on the document name.

Ribbon	Explore > Portals > Guidebook

Keyboard	Shift+Alt+P : = Perspective >
Shortcuts	Guidebook
Other	Start Page Open a Portal Guidebook Navigator Toolbar : : Portals : Perspective > Guidebook

Learning Portal

The Learning Portal provides links to a number of useful Help pages or other web pages on the Sparx Systems website, to present topical information quickly. The information is displayed through the internal Web Browser, in the center of the work area.

The options are organized in a sequence, giving very specific information on a narrow subject such as keyboard shortcuts through increasingly broad discussions of facilities, features and concepts.

Ribbon	Explore > Portals > Learning
Keyboard Shortcuts	Shift+Alt+P : \blacksquare Perspective \checkmark > Learning
Other	Start Page Open a Portal Learning Navigator Toolbar : : Portals : Perspective > Learning

Category	Options
Quick Reference	The 'Quick Reference' option provides a set of Help topics that give immediate information on some of the collections of tools of Enterprise Architect, such as shortcut keys or the ribbons.
Help	The options in this group access the top-level topic from each chapter of the Help. Once you have displayed a top-level topic, you can select subordinate topics for more detailed information on a subject, or return to the Index to open a different chapter.
Special Topics	These topics describe specific features and facilities of Enterprise Architect, to provide a direct and focused discussion of a facility such as Kanban diagrams or Roadmaps.
Guides	These topics discuss broader subject areas and work concepts, such as Enterprise Architecture, Business Analysis and Business Modeling.

Webinars	 Select the 'All Webinars' option to open the 'Webinar Registration' page of the Sparx Systems website, which: Describes upcoming webinars (real-time seminars hosted via the internet) scheduled by Sparx Systems, and Provides links to the registration form, for you to register your participation in a webinar
About	 The options in this section provide access to a range of useful Sparx Systems web pages, which contain information on and demonstrations of Enterprise Architect and other Sparx Systems facilities. 'Tutorials' - to open the 'Tutorials' page of the Sparx Systems website, which provides tutorials on general UML modeling and doing work with Enterprise Architect 'Resources' - to open the 'Help, Tutorials & White papers' page and the 'Resources' page of the Sparx Systems website, providing access to a wide range of Enterprise Architect and UML tutorials, demonstrations, examples, base files, Add-Ins and general

information
• 'MDG Technologies' - to open the
'MDG Products' page of the Sparx
Systems website, which provides a
brief description of, and the download
links for, each supported MDG Add-In
product for a selected edition of
Enterprise Architect - select your
installed edition from the drop-down
list
Enterprise Architect editions such as
Unified and Ultimate will
automatically register certain Add-In
products; however these Add-Ins are
not included in the default Enterprise
Architect installation and must be
downloaded separately
• '3rd Party Extensions' - to open the
'Third Party Extensions' page of the
Sparx Systems website, which provides
listings of additional Enterprise
Architect Add-Ins developed by
partners and other members of the
Enterprise Architect community
• 'Newsletter' - to open the 'Newsletters'
page of the Sparx Systems website,
which provides links to view
newsletters previously released by
Sparx Systems, and to subscribe to

receive future newsletters as they are released
 'Release History' - to open the 'Recent Features' page of the Sparx Systems website, which provides a full history of changes in the most recent builds of Enterprise Architect You can also open the release history and investigate the features of earlier releases of the system, going back to version 1.1.3, the very first commercial release